

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

OBSERVATIONS OF THE TRANSIT OF *MERCURY*, NOVEMBER 10, 1894, AT THE CHABOT OBSERVATORY.

By CHARLES BURCKHALTER.

Contacts III and IV of the transit of Mercury were observed at this observatory with the 8-inch equatorial, with power of 200.

Contacts I and II were lost on account of a dense fog, the Sun not being visible until 9:30 A.M.

The following gives the times expressed in Pacific Standard time, 8 hours slow of Greenwich:

The seeing at contact III was fair, and I consider the observation reliable. The seeing at contact IV was very poor, and a \pm error of 3 to 5 seconds must be admitted.

OAKLAND, November 14, 1894.

OBSERVATIONS OF THE TRANSIT OF *MERCURY*, NOVEMBER 10, 1894, AT ST. HELENA, NAPA COUNTY, CALIFORNIA.

By Allen F. Gillihan.

[Abstract.]

Contact I. 19^h 57^m 27^s P. S. T. Seeing very poor, the Sun is low, though the sky is clear.

Contact II. 19^h 58^m 42^s P. S. T. Both contacts I and II are not well determined.

Contact III. I^h II^m 30^s P. S. T. Seeing much better; *Mercury* is intensely black.

No circle of light noticed; the black drop was seen.

Contact IV. 1^h 13^m 14^s P. S. T.

The observations above were made with a 3-inch equatorial refractor, as follows: I and II were observed by projection,

making the Sun's disc 8 inches in diameter; III and IV were observed with a HERSCHEL sun-prism and eyepiece magnifying 150 diameters. The clock corrections are from observations by myself with a portable transit instrument of 134 inches aperture.

OBSERVATIONS OF THE TRANSIT OF *MERCURY*, NOVEMBER 10, 1894. AT COLLEGE PARK, UNIVERSITY OF THE PACIFIC.

By Professor R. G. Aitken.

[Abstract.]

Contact I. Lost in the fog.

Contact II. 19^h 58^m 48^s.6 P. S. T. This time is certainly too late; possibly as much as 10 or 15 seconds. When the planet was first seen, free of the fog, it had already entered on the disc and the ring of sunlight around it was complete.

Contact III. Ih IIm 34s.3 P. S. T.

Contact IV. 1h 13m 18s.0 P. S. T.

The observations were made with the 6-inch equatorial of the college observatory. The clock corrections are from observations by myself with the portable transit instrument.

OBSERVATIONS OF THE TRANSIT OF *MERCURY*, NOVEMBER 10, 1894, IN SAN FRANCISCO.

By F. R. ZIEL.

Professor E. S. HOLDEN,

Director Lick Observatory, Mount Hamilton.

Dear Sir: The transit of Mercury, November 10, was observed by me with my 27%-inch refractor, with a power of 150,